

CORONAVIRUS SARS-CoV-2

HOW CAN PHARMACISTS ADVISE?



No symptoms (cough, fever or breathing difficulties)



No travel history to affected areas or contact with infected people

- Offer reassurance
- Very unlikely to have SARS-CoV-2 infection risk
- Highlight preventive measures
- Provide evidence-based information and advice (oral and/or written)



Symptoms (cough, fever or breathing difficulties)



No travel history to affected areas or contact with infected people

- Offer reassurance
- Unlikely to have SARS-CoV-2 infection risk
- Highlight preventive measures
- Provide evidence-based information and advice (oral and/or written)



No symptoms (cough, fever or breathing difficulties)



Recent travel history to affected areas or contact with infected people

- Offer reassurance
- Risk of SARS-CoV-2 infection may exist
- Highlight preventive measures and recommend home quarantine for 14 days
- Trace contacts history
- Provide evidence-based information and advice (oral and/or written)
- In case symptoms appear in the 14 days following return from travel or contact with infected person, contact emergency number or reference hospital



Travel plans to affected areas or contact with infected people

- Offer reassurance
- Risk of SARS-CoV-2 infection may exist
- Recommend home quarantine for 14 days upon return from travel
- Inform about the situation and ways of transmission
- Highlight preventive measures
- Provide evidence-based information and advice (oral and/or written)



Symptoms (cough, fever or breathing difficulties)



Recent travel history to affected areas or contact with infected people

- Offer reassurance
- Risk of SARS-CoV-2 infection may exist
- Contact health authorities to initiate care protocol
- Inform about the procedure of isolation, diagnosis and treatment
- Highlight measures to prevent further transmission
- Provide evidence-based information and advice (oral and/or written)